4. References

- Ashton, Jr., R.E. and P.S. Ashton. 1985. *Handbook of Reptiles and Amphibians of Florida, Part 2, Lizards, Turtles and Crocodilians*, pp. 191. Miami, Florida: Windward Publishing.
- Aumen, N.G. 1995. The History of Human Impacts, Lake Management, and Limnological Research on Lake Okeechobee, Florida (USA). *Archiv fur Hydrobiologie, Advances in Limnology* 45:1-16.
- Ayvazian, S.G., L.A. Deegan, and J.T. Finn. 1992. Comparison of habitat use by estuarine fish assemblages in the Acadian and Virgianian zoogeographic provinces. *Estuaries* 15: 368-383.
- Bain, M.B. and S.E. Botz. 1992. Effect of aquatic plant control on the microdistribution and population characteristics of largemouth bass. *Trans. Amer. Fish. Soc.* 121: 4-103.
- Berner, R.A. 1980. *Early diagenesis: A theoretical approach*. Princeton, New Jersey: Princeton University Press.
- Bidwell and Vander Mey. 2000. *Sociology of the Family: Investigating Family Issues*, Needham Heights, Massachusetts: Allyn & Bacon Publishers.
- Bierman, Jr, V.R. and R.T. James. 1995. A preliminary modeling analysis of water quality in Lake Okeechobee, Florida: Diagnostic and sensitivity analyses. *Water Res.* 29: 2767-2775.
- Browder, J.A., P.J. Gleason, and D.R. Swift. 1994. Periphyton in the Everglades: Spatial variation, environmental correlates, and ecological implications. Pp. 379-418, In: *Everglades: the Ecosystem and its Restoration*, S.M. Davis and J.C. Ogden, eds. Delray Beach, Florida: St. Lucie Press.
- Bull, L.A., L.J. Davis, and J.B. Furse. 1991. Lake Okeechobee fish population study. Lake Okeechobee-Kissimmee River-Everglades Resource Evaluation Project. Completion Report for Wallop-Breaux Sport Fish Restoration Project F-52-5. Florida Game and Fresh Water Fish Commission, Tallahassee, FL.
- Bull, L.A., D.D. Fox, D.W. Brown, L.J. Davis, S.J. Miller, and J.G. Wullschleger. 1995. Fish distribution in limnetic areas of Lake Okeechobee, Florida. *Archive fur Hydrobiologie Ergebnisse der Limnologie* 45:333-342.
- Bureau of Economic and Business Research. 1998. Florida Statistical Abstract, University of Florida.
- Burkholder, J.M., R.G. Wetzel, and K.L. Klomparens. 1990. Direct comparison of phosphate uptake by adnate and loosely attached microalgae within an intact biofilm matrix. *Applied and Environmental Microbiology* 56: 2882-2890.
- Canfield, Jr., D.E. and M.V. Hoyer. 1988. The eutrophication of Lake Okeechobee. *Lake and Reservoir Management* 4: 91-99.
- Carrigan, R. and J. Kalff. 1982. Phosphorus release by submerged macrophytes: significance to epiphyton and phytoplankton. *Limnology and Oceanography* 27: 419-427.

- Chick, J.H. and C.C. McIvor. 1994. Patterns in the abundance and composition of fishes among beds of different macrophytes: viewing the littoral zone as a landscape. Canadian Journal of Fisheries and Aquatic Sciences 51: 2873-2882.
- Cooke, G.D., E.B. Welch, S.A. Peterson, and P.R. Newroth. 1993. *Restoration and Management of Lakes and Reservoirs*. Boca Raton, Florida: CRC Press LLC..
- Florida Department of Environmental Protection (FDEP). 2001. Personal conversation between K. Lukasiewicz, BBL and FDEP, February 2001.
- Florida Natural Areas Inventory (FNAI). 2000. Florida Forever: Conservation Needs Assessment. December, 2000.
- Fourqurean, J.W. and J.C. Zieman. 1991. Photosynthesis, respiration, and whole plant carbon budgets of Thalassia testudinum, Halodule wrightii, and Syringodium filiforme. In *The light requirements of seagrasses*, W.J. Kenworthy and D.E. Haunert, eds. NOAA Tech. Memo. NMFS-SEFC-287.
- Fry, B., P.L. Mumford, F. Tam, D.D. Fox, G.L. Warren, K.E. Havens and A.D. Steinman. 1999. Trophic position and individual feeding histories of fish from Lake Okeechobee, Florida. Canadian Journal of Fisheries and Aquatic Sciences 56: 590-600.
- Furse, J.B. and D.D. Fox. 1994. Economic fishery valuation of five vegetation communities in Lake Okeechobee, Florida. Proceedings of the Annual Conference of Southeastern Association of Fish and Wildlife Agencies 48: 575-591.
- Håkanson, L. and M. Jansson, 1983. Principles of lake sedimentology. Springer-Verlag. Berlin.
- Harvey, R. and K.E. Havens. 1999. Lake Okeechobee Action Plan. Report to the South Florida Ecosystem Restoration Working Group.
- Havens, K.E. 1994. Seasonal and spatial variation in nutrient limitation in a shallow sub-tropical lake (Lake Okeechobee, Florida) as evidenced by trophic state index variations. *Arch. Hydrobiol.* 131: 39-53.
- Havens, K.E. 1999. Correlation is not causation: a case study of fisheries, trophic state and acidity in Florida (USA) lakes. *Environmental Pollution* 106: 1-4.
- Havens, K.E. and C.L. Schelske. 2000. The importance of considering biological processes when setting total maximum daily loads (TMDL) for phosphorus in shallow lakes and reservoirs. *Environmental Pollution*, in press.
- Havens, K.E. and W.W. Walker, Jr. In review. Development of a total phosphorus concentration goal in the TMDL process for Lake Okeechobee, Florida (USA).
- Havens, K.E., N.G. Aumen, R.T. James, and V.H. Smith. 1996a. Rapid ecological changes in a large subtropical lake undergoing cultural eutrophication. *Ambio* 25: 1501-55.
- Havens, K.E., L.A. Bull, G.L. Warren, T.L. Crisman, E.J. Phlips, and J.P. Smith. 1996b. Food web structure in a subtropical lake ecosystem. *Oikos* 75: 20-32.

- Havens, K.E., T.L. East, R.H.. Meeker, W.P. Davis, and A.D. Steinman. 1996c. Phytoplankton and periphyton responses to *in situ* experimental nutrient enrichment in a shallow subtropical lake. *J. Plankton Research* 18: 551-566.
- Havens, K.E., S. Davis, D. Fox, S. Gorknak. 1999. Draft Lake Okeechobee Conceptual Model, Hydrologic & Ecological Performance Measures, and Long-Term Ecological Monitoring. South Florida Water Management District, September 7, 1999.
- Havens, K.E., D. Gawlik, P. Gray, and G. Warren. 2000. Working Hypotheses: Lake Okeechobee Conceptual Model. November 1, 2000.
- Hopson, M.S. and P.V. Zimba. 1993. Temporal variation in the biomass of submersed macrophytes in Lake Okeechobee, Florida. *Journal of Aquatic Plant Management* 31: 76-81.
- Hurst, L.A. and C.A. Beck. 1988. Microhistological characteristics of selected aquatic plants of Florida with techniques for the study of manatee food habits. U.S. Department of Interior, Fish and Wildlife Servise, Research and Development, biological report 88(18); Gainesville, Florida.
- James, R.T. and V.R. Bierman, Jr. 1995. A preliminary modeling analysis of water quality in Lake Okeechobee, Florida: Model calibration. *Water Res.* 29: 2755-2774.
- James, R.T., J. Martin, T. Wool, and P.F. Wang. 1997. A sediment resuspension and water quality model for Lake Okeechobee. *Journal of the American Water Resources Association* 33: 661-680.
- Jin, K.R., R. James, W. Lung, D. Loucks, R. Park, and T. Tisdale. 1998. Assessing Lake Okeechobee eutrophication with water-quality models. *Journal of Water Resources Planning Management* January/February 1998: 22-30.
- Kenworthy, W., M.S. Fonseca, and S.J. DiPiero. 1991. Defining the ecological light compensation point for seagrasses Halodule wrightii and Syringodium filiforme from long-term submarine light regime monitoring in the southern Indian River. In *The light requirements of seagrasses*, W.J. Kenworthy and D.E. Haunert, eds. NOAA Tech. Memo. NMFS-SEFC-287.
- Lampert, W. and U. Sommer. 1997. *Limnoecology: The ecology of lakes and streams*. New York, New York: Oxford University Press.
- Lodge, T.E. 1994. *The Everglades Handbook: Understanding the Ecosystem*. Delray Beach, Florida: St. Lucie Press.
- Maceina, M.J. and D.M. Soballe. 1990. Wind-related Limnological Variation in Lake Okeechobee, Florida, *Journal of Lake and Reservoir Management*, 6(1): 93-100.
- McDonald, D.D. 1994. Approach to the Assessment of Sediment Quality in Florida Coastal Waters, Florida Department of Environmental Protection, Volumes 1-4, November, 1994.
- Moore, K. 1991. Field studies of the effects of variable water quality on temperate seagrass growth and survival. In *The light requirements of seagrasses* W.J. Kenworthy and D.E. Haunert, eds. NOAA Tech. Memo. NMFS-SEFC-287.

- Moore, Jr., P.A. and K.R. Reddy. 1994. Role of Eh and pH on Phosphorus Geochemistry in Sediments of Lake Okeechobee, Florida. *Journal of Environmental Quality*, Vol. 23, No. 5, 955-964.
- Moore, Jr., P.A., D.R. Reddy, and M.M. Fisher. 1998. Phosphorus flux between sediment and overlying water in Lake O, Florida: spatial and temporal variations. *J. Enviro. Qual.*, 27:1428-1439.
- Mortimer, CH. 1941. The exchange of dissolved substances between mud and water in lakes (Parts I and II). *J. Ecol.* 29: 280-329.
- Moss, B., J. Madgwick, and G. Phillips. 1999. *A Guide to the Restoration of Nutrient-Enriched Shallow Lakes*. Environment Agency, Broads Authority, UK.
- Olila, O.G. and K.R. Reddy. 1997. Influence of redox potential of phosphate uptake by sediments in two subtropical eutrophic lakes. *Hydrobiol.*, 345: 45-57.
- Phlips, E.J., F.J. Aldridge, C.L. Schelske, and T.L. Crisman. 1995a. Relationships between light availability, chlorophyll *a*, and tripton in a large, shallow subtropical lake. *Limnol. Oceanogr.* 40: 416-421.
- Phlips, E.J., F.J. Aldridge, and C. Hanlon. 1995b. Potential limiting factors for phytoplankton biomass in a shallow subtropical lake (Lake Okeechobee, Florida, USA). Arch. Hydrobiol. Spec. Issues Advanc. Limnol. 45: 137-155.
- Phlips, E.J., M. Cichra, K. Havens, C. Hanlon, S. Radylak, B. Reuter, M. Randall, and P. Hansen. 1997. Relationships between phytoplankton dynamics and the availability of light and nutrients in a shallow sub-tropical lake. *J. Plankton Res.* 19: 319-342.
- Pollman, C.D. 1983. Internal loading in shallow lakes. Ph.D. dissertation. University of Florida, Gainesville.
- Pollman, C.D. 2000. Overview of a simple approach to modeling internal loading in Lake Okeechobee. Draft report submitted to Florida Department of Environmental Protection, Tallahassee, Florida. Tetra Tech, Gainesville, Florida.
- Pollman, C.D. and R.K. Munson. 2000. Draft recalibration of the Lake Okeechobee Water Quality Model in support of the calculation of phosphorus maximum total daily load (TMDL). Draft report submitted to Florida Department of Environmental Protection, Tallahassee, Florida. Tetra Tech, Gainesville, Florida.
- Powell, Jr., J.A. 1978. Evidence of carnivory in manatees (*Trichechus manatus*). *Journal of Mammalogy* 59(2): 442.
- Randall, R.B., C.K. Minns, V.W. Cairns, and J.E. Moore. 1996. The relationship between an index of fish production and submerged macrophytes and other habitat features at three littoral areas in the Great Lakes. *Can. J. Fish. Aquat. Sci.* 53: 35-44.
- Reddy, K.R. 1991. Lake Okeechobee phosphorus dynamics study, Vol. III. Biogeochemical processes in the sediments. Contract C-91-2393. Report to SFWMD.

- Reddy, K. R., M.M. Fisher, J.R. White, and W.G. Harris. 2000. Potential Impacts of Sediment Dredging on Internal Phosphorus Load in Lake Okeechobee, Project Work Plan, prepared for South Florida Water Management District, West Palm Beach, Florida. Wetland Biogeochemistry Laboratory, Soil and Water Science Department, University of Florida, Gainesville. August, 2000.
- Reynolds, III, J.E. 1981. Behavior patterns in the West Indian manatee, with emphasis on feeding and diving. *Florida Scientist* 44(4): 233-241.
- Reynolds, C.S. 1987. Cyanobacterial water blooms. Advances in Botanical Research, 3:67-143.
- Rice, K.G. 1989. Analysis of alligator nesting and spatial patterns and habitat associations. Florida Cooperative Wildlife Research Unit.
- Rigler, F.H. 1975. Appendix. Phosphorus Cycling in Lakes. In F. Ruttner, Fundamentals of Limnology. Toronto: University of Toronto Press.
- Rossi, G. and G. Premazzi. 1990. Delay in Lake Recovery Caused by Internal Loading. *Water Resources* (Printed in Great Britain), October 1990, Vol. 25, No. 5, pp. 567-575.
- Rozas, L.P. and W.E. Odum. 1987. The role of submerged aquatic vegetation in influencing the abundance of nekton on contiguous tidal fresh-water marshes. *J. Exp. Mar. Biol. Ecol.* 114: 289-300.
- Rozas, L.P. and W.E. Odum. 1988. Occupation of submerged aquatic vegetation by fishes: testing the roles of food and refuge. Oecologia 77: 101-106.
- Sas, H. 1989. Lake Restoration by Reduction of Nutrient Loading: Expectations, Experiences, Extrapolations. Academia-Verlag Richarz, St. Augustin.
- Schelske, C.L. 1989. Assessment of nutrient effects and nutrient limitation in Lake Okeechobee. *Water Resour. Bull.* 25: 1119-1130.
- Schindler, D.W. 1985. The coupling of elemental cycles by organisms: Evidence from whole-lake chemical perturbations, pp. 225 250. In *Chemical processes in lakes*, W. Stumm, ed. New York, New York: Wiley-Interscience.
- Seip, K.L. 1994. Phosphorus and nitrogen limitation of algal biomass across trophic gradients. *Aquatic Sci.* 56:16-28.
- Sheng, P.Y. 1993. Hydrodynamics, Sediment Transport and their Effects on Phosphorus Dynamics in Lake Okeechobee. In *Nearshore and Estuarine Cohesive Sediment Transport*, A.J. Mehta, ed.. Coastal & Estuarine Studies Series, American Geophysical Union, pp.558-571.
- Small, J.K. 1922. Wild pumpkins. Journal New York Botanical Garden 23:19-23.
- Small, J.K. 1930. The Okeechobee gourd. Journal New York Botanical Garden 31:10-14.
- Smith, K.N. 1993. Manatee habitat and human-related threats to seagrass in Florida: A review. Department of Environmental Protection, Division of Marine Resources; Tallahassee, Florida.
- Smith, V.H. 1983. Low nitrogen to phosphorus ratios favor dominance by blue-green algae in lake phytoplankton. *Science* 221: 669-671.

- Smith, V.H. and S.J. Bennett. 1999. Nitrogen:phosphorus supply ratios and phytoplankton community structure in lakes. Arch. Hydrobiol. 146: 37-53.
- South Florida Water Management District (SFWMD). 1997. Surface water improvement and management (SWIM) plan update for Lake Okeechobee. South Florida Water Management District, West Palm Beach, Florida.
- SFWMD. 2000a. Minimum Flows and Levels for Lake Okeechobee, the Everglades, and the Biscayne Aquifer report, February 2000.
- SFWMD. 2000b. Lower West Coast Regional Water Supply Plan. Water Supply Planning and Development Department. South Florida Water Management District, West Palm Beach, Florida. April 2000.
- SFWMD. 2000c. Lower East Coast Water Supply Plan. Water Supply Planning and Development Department. South Florida Water Management District, West Palm Beach, Florida. May 2000.
- SFWMD. 2000d. http://www.sfwmd.gov/lo_statustrends/ecocond/savmaps/sav2000.jpg.
- SFWMD. 2001. http://www.sfwmd.gov/lo_statustrends/ecocond/lo_veg.html.
- Steinman, A.D., R.H. Meeker, A.J. Rodusky, W.P. Davis, and S.J. Hwang. 1997. Ecological properties of charophytes in a large subtropical lake. *J.N. Am. Benthol. Soc.* 16: 781-793.
- Steinman, A.D., K.E. Havens, N.G. Aumen, R.T. James, K.R. Jin, J. Zhang, B.H. Rosen. 1999. Phosphorus in Lake Okeechobee: Sources, Sinks, and Strategies (pp. 527-544). In *Phosphorus Biogeochemistry in Subtropical Ecosystems*.
- Stumm, W. and J.J. Morgan. 1996. *Aquatic chemistry*. New York, New York: Wiley-Intersciences.
- United States Army Corps of Engineers (USACE). 1999a. Comprehensive Everglades Restoration Program in Central and Southern Florida Comprehensive Review Study. South Florida Water Management District, West Palm Beach, Florida. April 1999.
- USACE. 1999b. Draft Integrated Feasibility Report and Environmental Impact Statement for Lake Okeechobee Regulation Schedule Study. USACE, Jacksonville District, June 1999.
- United States Fish and Wildlife Service (USFWS). 1996. Florida manatee recovery plan. USFWS, Atlanta, Georgia.
- USFWS. 2000. South Florida Multi-Species Recovery Plan. USFWS, Southeast Region, Atlanta, Georgia.
- University of Michigan. 1997. Class/Project Website for NRE 301 Ecological Issues, references NRE 392 Course Pack (Welsch), Dollar Bill Copying, University of Michigan, School of Natural Resources & Environment, Winter 1997.
- Vermaat, L.E., L. Santamaria, and P.J. Roos. 2000. Water flow across and sediment trapping in submerged macrophyte beds of contrasting growth form. *Archiv fur Hydrobiologie* 148: 549-562.

- Walker, Jr., W.W. 2000. Revised TMDL calculations refinements to steady-state model. Technical document prepared for Lake Okeechobee TMDL Technical Advisory Committee. Florida Department of Environmental Protection, Tallahassee, Florida.
- Walker, Jr., W.W. and K.E. Havens. 1995. Relating algal bloom frequencies to phosphorus concentrations in Lake Okeechobee. *Lake and Reservoir Management* 11: 77-83.
- Walsh, J., L. Hord, C. Knox, G. Warren, J. Rodgers, and S. Rockwood. 2001. Series of memos to K. Lukasiewicz, BBL re: impacts to habitat, wildlife, and threatened and endangered species. February 24, 2001.
- Walters, T.W. and D.S. Decker-Walters. 1993. Systematics of the endangered Okeechobee gourd, C. okeechobeensis (Cucurbitaceae). *Systematic Botany* 18(2): 175-187.
- Walters, T.W., D.S. Decker-Walters, and S. Katz. 1992. Seeking the elusive Okeechobee gourd. *Fairchild Tropical Garden Bulletin* 47(1) 22-30.
- Warren, G.L. 2001. Florida Fish and Wildlife Conservation Commission Memo from G.L. Warren, Freshwater Fisheries Division, to Joe Walsh, Office of Environmental Services, February 22, 2001.
- Warren, G.L. and M.J. Vogel. 1991. Lake Okeechobee invertebrate studies. Study II in the Lake Okeechobee-Kissimmee River-Evergaleds Resource Evaluation Report. Wallop-Breaux Project F-52 Completion Report to the US Department of Interior.
- Warren, G.L., M.J. Vogel, and D.D. Fox. 1995. Trophic and distributional dynamics of Lake Okeechobee sublittoral benthic invertebrate communities. *Arch. Hydrobiol. Spec. Issues Advanc. Limnol.* 45:317-332.
- Werner, E.E., J.F. Gilliam, D.J. Hall and G.G. Mittelbach. 1983. An experimental test of the effects of predation risk on habitat use in fish. Ecology 64: 1540-1548.
- Wetzel, R. 1975. Limnology. Philadelphia, Pennsylvania: WB Saunders.
- Zimmerman, R.C. and R.S. Alberte. 1991. Light requirements of temperate seagrasses. In *The light requirements of seagrasses*, W.J. Kenworthy and D.E. Haunert, eds. NOAA Tech. Memo. NMFS-SEFC-287.